| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| L1 | 2204 | 713/1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 08:50 |
| L2 | 1789 | 713/2.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 08:50 |
| L3 | 250 | 1 and (boot-strap\$4 (boot adj1- strap\$4) bootstrap\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 08:50 |
| L4 | 381 | 2 and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 08:50 |
| L5 | . 73 | "active client" with (upgrad\$7 updat\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 08:58 |
| L6 | 178 | (configuration adj1 client) and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:00 |
| L7 | 115 | (configuration adj1 client) and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) and query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:04 |
| L8 | 115 | "configuration client" and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) and query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:04 |
| L9 | 0 | configuration-client and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) and query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:04 |

| L10 | 0 | configuration-client and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:05 |
|-----|------|--|---|----|----|------------------|
| L11 | 297 | (configuration adj1 server) with ((resource adj1 locator) URL address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:05 |
| L12 | 33 | (configuration adj1 server) with ((resource adj1 locator) URL address) and (boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:10 |
| L13 | 498 | (configuration adj1 server) and (configuration adj1 client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:11 |
| L14 | 3 | configuration-client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:12 |
| L15 | 183 | 717/172.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:13 |
| L16 | 341 | 717/173.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:13 |
| L17 | 1353 | 709/202.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:14 |
| L18 | 6912 | 709/203.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:13 |
| L19 | 27 | 17 and (configuration adj1 client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:16 |

| | · | | | | | |
|-----|------|---|---|----|----|------------------|
| L20 | 264 | 18 and (configuration adj1 client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:14 |
| L21 | 1122 | 709/221.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:16 |
| L22 | 49 | 709/221.ccls. and (configuration adj1 client) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 09:19 |
| L23 | 1 | ((boot-strap\$4 (boot adj1 strap\$4) bootstrap\$4) with configuration with client with server).clm. | US-PGPUB | OR | ON | 2006/09/26 09:19 |
| S1 | 863 | ldap with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:55 |
| S2 | 4 | Idap with server with udp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 11:57 |
| S3 | 137 | Idap with server and udp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 11:58 |
| S4 | 63 | Idap with server and udp with packet | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 11:58 |
| S5 | 21 | ldap with server and udp with packet and configuration with server and configuration with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 12:06 |
| S6 | 7 | ((updat\$7 upgrad\$7) with active with client) and Idap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 12:08 |

| C-7 | 100 | () malabet 7 () mana ale 7) () the continue () the | LIC DCDUD | OB | CNI | 2002/00/20 12 15 |
|------|--------|---|---|----|-----|------------------|
| S7 | 189 | (updat\$7 upgrad\$7) with active with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 12:15 |
| S8 | 409 | "active client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 12:15 |
| S9 : | 30 | "active client" with (upgrad\$7 updat\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 12:15 |
| S10 | 60 | Idap with server and udp with packet and configuration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/08/28 12:18 |
| S11 | 330552 | active with (application software) updat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 10:54 |
| S12 | 66366 | active with (application software) updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 10:54 |
| S13 | 0 | active with (application software) with updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 10:54 |
| S14 | 354 | active with (application software) with updat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 10:55 |
| S15 | 6 | active with (application software) with updat\$3 with terminat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 10:56 |
| S16 | 4 | active with (application software) with updat\$3 with (restart\$3 reload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 10:58 |

| | | | ** | | | |
|-----|------|--|---|----|-----|------------------|
| S17 | 15 | active with (application software) with updat\$3 and updat\$3 with (restart\$3 reload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 11:01 |
| S18 | 1 | terminat\$3 with updat\$3 with (software application) with (restart\$3 reload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 11:02 |
| S19 | 218 | run\$1time with (updat\$3 upgrad\$3) with (software application program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 11:03 |
| S20 | 4 | run\$1time with (updat\$3 upgrad\$3) with (software application program) and terminat\$3 with (reload\$3 restart\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 15:00 |
| S21 | 7 | (software application program) with updat\$3 with "active client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 15:02 |
| S22 | 1 | 2002-405386.NRAN. | DERWENT | OR | OFF | 2003/09/26 15:01 |
| S23 | 8 | (software application program) with updat\$3 with client with (orb middle\$1ware) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 15:03 |
| S24 | 11 | (software application program) with updat\$3 with client with (orb broker middle\$1ware) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 15:21 |
| S25 | 2595 | (software application program) with updat\$3 with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 15:22 |
| S26 | 360 | ((software application program) with updat\$3 with (client network)). ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/09/26 15:22 |

Page 5

| _ | | | | | | |
|-----|------|---|---|----|------|------------------|
| S27 | 52 | 717/172.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/20 12:29 |
| S28 | 1378 | (updat\$7 upgrad\$7) with running with (software application program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/20 12:30 |
| S29 | 356 | (updat\$7 upgrad\$7) with running with (software application program) with (network client server remote) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/20 12:54 |
| S30 | 0 | ((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) with while | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/20 12:30 |
| S31 | 356 | ((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/20 12:30 |
| S32 | 1 | 2002-405386.NRAN. | DERWENT | OR | OFF | 2003/11/20 12:48 |
| S33 | 85 | ((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) and (restart\$3 re-start\$3 re-execut\$3 reexecut\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/20 13:36 |
| S34 | 37 | "5920725".URPN. | USPAT | OR | ON · | 2003/11/20 12:57 |
| S35 | 116 | 717/171.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:56 |
| S36 | 156 | 717/173.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:56 |
| S37 | 96 | 717/176.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:56 |

9/26/2006 9:20:27 AM
C:\Documents and Settings\ekiss\My Documents\EAST\Workspaces\09691968.wsp

Page 6

| S38 | 84 | 717/177.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:56 |
|-----|------|---------------------------------------|---|------|------|------------------|
| S39 | 163 | 717/178.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:57 |
| S40 | 0 | 709/203.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2003/11/25 10:57 |
| S41 | 3831 | 709/203.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:57 |
| S42 | 2199 | 709/217.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:57 |
| S43 | 2147 | 709/219.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/11/25 10:57 |
| S50 | 2 | ("5920725").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/06 13:26 |
| S52 | 81 | bootstrap with configur\$ with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 13:42 |
| S53 | 48 | boot\$5 with configur\$ adj1 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/10 09:26 |
| S54 | 1621 | Idap with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2005/05/13 16:15 |

| S55 | 5 | ldap with server with udp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
|-----|--------|--|---|----|------|------------------|
| S56 | 239 | ldap with server and udp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S57 | 92 | ldap with server and udp with packet | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S58 | 33 | ldap with server and udp with packet and configuration with client and configuration with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S59 | 23 | ((updat\$7 upgrad\$7) with active with client) and Idap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S60 | 324 | (updat\$7 upgrad\$7) with active with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2005/05/13 16:15 |
| S61 | 660 | "active client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S62 | 47 | "active client" with (upgrad\$7 updat\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S63 | 85 | Idap with server and udp with packet and configuration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S64 | 440477 | active with (application software) updat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |

| | | | <u> </u> | | · · | |
|-----|-------|--|---|----|-----|------------------|
| S65 | 85762 | active with (application software) updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S66 | 1 | active with (application software) with updat\$3 and receiv\$3 with terminat\$4 with (reload\$3 restart\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S67 | 549 | active with (application software) with updat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S68 | 10 | active with (application software) with updat\$3 with terminat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S69 | 6 | active with (application software) with updat\$3 with (restart\$3 reload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S70 | 26 | active with (application software) with updat\$3 and updat\$3 with (restart\$3 reload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S71 | 3 | terminat\$3 with updat\$3 with (software application) with (restart\$3 reload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S72 | 350 | run\$1time with (updat\$3 upgrad\$3) with (software application program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S73 | 5 | run\$1time with (updat\$3 upgrad\$3) with (software application program) and terminat\$3 with (reload\$3 restart\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S74 | 8 | (software application program) with updat\$3 with "active client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |

| | | | I | | - | |
|-----|------|---|---|----|--------------|------------------|
| S75 | 1 | 2002-405386.NRAN. | DERWENT | OR | OFF | 2005/05/13 16:15 |
| S76 | 10 | (software application program) with updat\$3 with client with (orb middle\$1ware) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S77 | 15 | (software application program) with updat\$3 with client with (orb broker middle\$1ware) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S78 | 4245 | (software application program) with updat\$3 with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S79 | 515 | ((software application program) with updat\$3 with (client network)). ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S80 | 103 | 717/172.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S81 | 2063 | (updat\$7 upgrad\$7) with running with (software application program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S82 | 564 | (updat\$7 upgrad\$7) with running with (software application program) with (network client server remote) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S83 | 0 | ((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) with while | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S84 | 564 | ((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S85 | 1 | 2002-405386.NRAN. | DERWENT | OR | OFF | 2005/05/13 16:15 |

| 005 | | | | | | 20210211212 |
|-----|------|---|---|----|----|------------------|
| S86 | 121 | ((updat\$7 upgrad\$7) with running with (software application program) with (network client server remote)) and (restart\$3 re-start\$3 re-execut\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S87 | 46 | "5920725".URPN. | USPAT | OR | ON | 2005/05/13 16:15 |
| S88 | 235 | 717/171.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S89 | 247 | 717/173.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S90 | 204 | 717/176.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S91 | 147 | 717/177.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S92 | 277 | 717/178.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S93 | | 709/203.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S94 | 5312 | 709/203.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S95 | 3199 | 709/217.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |

| | | | | I | | |
|----------|------|---|---|----|-----|------------------|
| S96 | 3019 | 709/219.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S97 | . 2 | ("5920725").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:15 |
| S98 | 82 | bootstrap with configur\$ with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S99 | 48 | boot\$5 with configur\$ adj1 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 16:15 |
| S10 0 | 381 | configuration with agent with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:12 |
| S10 1 | 172 | configuration with agent with client with server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:26 |
| S10 2 | 5 | configuration with agent with client with server same query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:34 |
| S10 3 | 251 | configuration with client with server same query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:34 |
| S10 4 | 2 | query with configuration adj1 server with updat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:35 |
| S10 5 | 20 | configuration adj1 server with updat\$3 with client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:39 |

| S10 6 | 1 | 2002-405386.NRAN. | DERWENT | OR | ON | 2005/09/23 16:35 |
|----------|------|---|---|----|------|------------------|
| S10 7 | 861 | updat\$3 with active with (software application program) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:40 |
| S10 8 | 124 | updat\$3 with (running active) with (software application program) with (terminat\$3 shut\$4 end\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 16:42 |
| S10 9 | 70 | updat\$3 with (running active) with (software application program) with (terminat\$3 shut\$4 halt\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 17:01 |
| S11 0 | 4 | (("6314088") or ("6029196")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/23 17:01 |
| S11 2 | 2459 | "configuration client" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 08:59 |
| S11 3 | 3 | configuration-client | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2006/05/11 09:34 |
| S11 4 | 70 | "active client" with (upgrad\$7 updat\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/11 09:42 |

9/26/2006 9:20:27 AM
C:\Documents and Settings\ekiss\My Documents\EAST\Workspaces\09691968.wsp Page 13